# Many-Body Systems out of Equilibrium

Winter Term 2018/19

◆□ ▶ < 圖 ▶ < 圖 ▶ < 圖 ▶ < 圖 • 의 Q @</p>

 Nonequilibrium Green's functions: need of a "Keldysh" contour

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

Steady state: some exact results

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams
- Steady state: some exact results
- Derivation of the Boltzmann equation, limits and extensions: quantum kinetic equations.

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams
- Steady state: some exact results
- Derivation of the Boltzmann equation, limits and extensions: quantum kinetic equations.

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Scattering from impurities

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams
- Steady state: some exact results
- Derivation of the Boltzmann equation, limits and extensions: quantum kinetic equations.
- Scattering from impurities
- Correlated systems: electron-electron and electron-phonon interactions

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams
- Steady state: some exact results
- Derivation of the Boltzmann equation, limits and extensions: quantum kinetic equations.
- Scattering from impurities
- Correlated systems: electron-electron and electron-phonon interactions

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Time-dependent phenomena

- Nonequilibrium Green's functions: need of a "Keldysh" contour
- Perturbation theory with Nonequilibrium Green's functions: diagrams
- Steady state: some exact results
- Derivation of the Boltzmann equation, limits and extensions: quantum kinetic equations.
- Scattering from impurities
- Correlated systems: electron-electron and electron-phonon interactions
- Time-dependent phenomena
- Connection with methods for Open Quantum Systems (Master equations)

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

 Many-body and Green's functions in equilibrium:[Bruus and Flensberg(2004), Fetter and Walecka(1971)]

- Many-body and Green's functions in equilibrium:[Bruus and Flensberg(2004), Fetter and Walecka(1971)]
- Lecture notes from M. Jarrell [Jarrell(????a)]

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへぐ

### Nonequilibrium Green's functions

(ロ)、(型)、(E)、(E)、 E) の(の)

Book:[Haug and Jauho(1998)]

### Nonequilibrium Green's functions

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]

#### Nonequilibrium Green's functions

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]

### Nonequilibrium Green's functions

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]
- Short review article by Rammer and Smith [Rammer and Smith(1986)]

### Nonequilibrium Green's functions

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]
- Short review article by Rammer and Smith [Rammer and Smith(1986)]
- A functional integral approach [Kamenev(2004)]

### Nonequilibrium Green's functions

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]
- Short review article by Rammer and Smith [Rammer and Smith(1986)]
- A functional integral approach [Kamenev(2004)]
- Article on applications to semiconductors [Jauho et al.(1994)Jauho, Wingreen, and Meir]

### Nonequilibrium Green's functions

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]
- Short review article by Rammer and Smith [Rammer and Smith(1986)]
- A functional integral approach [Kamenev(2004)]
- Article on applications to semiconductors [Jauho et al.(1994)Jauho, Wingreen, and Meir]
- Application to molecular transport [Ryndyk et al.(2009)Ryndyk, Gutierrez, Song, and Cuniberti]

### Nonequilibrium Green's functions

- Book:[Haug and Jauho(1998)]
- Lecture notes from M. Jarrell [Jarrell(????b)]
- See also notes by jauho [Jauho(????)]
- Short review article by Rammer and Smith [Rammer and Smith(1986)]
- A functional integral approach [Kamenev(2004)]
- Article on applications to semiconductors [Jauho et al.(1994)Jauho, Wingreen, and Meir]
- Application to molecular transport [Ryndyk et al.(2009)Ryndyk, Gutierrez, Song, and Cuniberti]

A DFT approach [van Leeuwen(????)]

 Markov equation for the density matrix approach, Book: [Breuer and Petruccione(2009)]

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 の�?

- Markov equation for the density matrix approach, Book: [Breuer and Petruccione(2009)]
- Lecture notes by A. Fisher [Fisher(????a)]

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへぐ

- Markov equation for the density matrix approach, Book: [Breuer and Petruccione(2009)]
- Lecture notes by A. Fisher [Fisher(???a)]
- Stochastic approach A. Fisher [Fisher(????b)]

- Markov equation for the density matrix approach, Book: [Breuer and Petruccione(2009)]
- Lecture notes by A. Fisher [Fisher(????a)]
- Stochastic approach A. Fisher [Fisher(???b)]
- More advanced on nonequilibrium mesoscopic systems [Brandes(2005), Schoeller(2009)]

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

- Markov equation for the density matrix approach, Book: [Breuer and Petruccione(2009)]
- Lecture notes by A. Fisher [Fisher(????a)]
- Stochastic approach A. Fisher [Fisher(???b)]
- More advanced on nonequilibrium mesoscopic systems [Brandes(2005), Schoeller(2009)]

A collection of references [Many(????)]

[Brandes(2005)] Brandes, T., 2005. Coherent and collective quantum optical effects in mesoscopic systems. Physics Reports 408 (5-6), 315 – 474.

URL http://www.sciencedirect.com/science/article/ B6TVP-4FCSDMG-2/2/

f74e72e3efc0ee8b22029719949f565f

[Breuer and Petruccione(2009)] Breuer, H.-P., Petruccione, F., 2009. The Theory of Open Quantum Systems. Oxford University Press, Oxford, England. URL https://global.oup.com/academic/product/ the-theory-of-open-quantum-systems-9780199213900

[Bruus and Flensberg(2004)] Bruus, H., Flensberg, K., 2004. Many-body quantum theory in Condensed Matter Physics. Oxford University Press.

[Fetter and Walecka(1971)] Fetter, A. L., Walecka, J. D., 1971. Quantum Theory of Many-Particle Systems. McGraw-Hill, New York. [Fisher(????a)] Fisher, A., ????a. Available at http://www.cmmp.ucl.ac.uk/~ajf/course\_notes.pdf.

[Fisher(????b)] Fisher, A., ????b. Available at http://www.cmmp.ucl.ac.uk/~ajf/course\_notes.pdf.

[Haug and Jauho(1998)] Haug, H., Jauho, A.-P., 1998. Quantum Kinetics in Transport and Optics of Semiconductors. Springer, Heidelberg.

URL http://www.springer.com/us/book/9783540735618

[Jarrell(????a)] Jarrell, M., ????a. Lecture 1: The equilibrium green function method, available at http: //www.phys.lsu.edu/~jarrell/Green/lecture1.pdf.

[Jarrell(????b)] Jarrell, M., ????b. Lecture 2: The non-equilibrium green function method, available at http: //www.phys.lsu.edu/~jarrell/Green/lecture2.pdf. [Jauho(????)] Jauho, A., ???? Introduction to the kaldysh nonequilibrium green's function technique, notes available at http://nanohub.org/resources/1878/download/jauho\_ negf.pdf.

[Jauho et al.(1994)Jauho, Wingreen, and Meir] Jauho, A.-P., Wingreen, N. S., Meir, Y., 1994. Time-dependent transport in interacting and noninteracting resonant-tunneling systems. Phys. Rev. B 50 (8), 5528–5544.

[Kamenev(2004)] Kamenev, A., 2004. Many – body theory of non – equilibrium systems, cond-mat/0412296.

[Many(????)] Many, ???? A collection of references on nonequilibrium systems http://www.freescience.info/Physics.php?id=266. [Rammer and Smith(1986)] Rammer, J., Smith, H., Apr 1986. Quantum field-theoretical methods in transport theory of metals. Rev. Mod. Phys. 58, 323–359. URL

http://link.aps.org/doi/10.1103/RevModPhys.58.323 [Ryndyk et al.(2009)Ryndyk, Gutierrez, Song, and Cuniberti]

Ryndyk, D. A., Gutierrez, R., Song, B., Cuniberti, G., 2009. Green function techniques in the treatment of quantum transport at the molecular scale. In: Castleman, A. W., Toennies, J. P., Yamanouchi, K., Zinth, W., Burghardt, I., May, V., Micha, D. A., Bittner, E. R. (Eds.), Energy Transfer Dynamics in Biomaterial Systems. Vol. 93 of Springer Series in Chemical Physics. Springer Berlin Heidelberg, pp. 213–335. URL http://dx.doi.org/10.1007/978-3-642-02306-4\_9 [Schoeller(2009)] Schoeller, H., 2009. A perturbative nonequilibrium renormalization group method for dissipative quantum mechanics. Eur. Phys. J. Special Topics 168, 179–266. URL http://dx.doi.org/10.1140/epjst/e2009-00962-3

[van Leeuwen(????)] van Leeuwen, R., ???? An introduction to nonequilibrium green functions, notes available at http://theochem.chem.rug.nl/research/vanleeuwen/ literature/NGF.pdf.